# **Simplicity AGCO ALLIS**

## **Parts Manual**

# REGENT / 500 SERIES

LAWN TRACTORS & MOWER DECKS

#### 12.5HP GEAR TRACTORS

Mfg. No. Description

1692160 1692166 Regent 12.5HP Gear 512G, 12.5HP Gear

### **36" MOWER DECKS**

1691419 1691420

36" Mower Deck 36" Mower Deck

### 12.5HP HYDRO TRACTORS

Mfg. No. Description

1692156

Regent 12.5HP Hydro 512H, 12.5HP Hydro

1692164

Regent 12.5HP Hydro

1692263

1692259 512H, 12.5HP Hydro



### **Table of Contents**

FRAME GROUPFrame, Wrapper; Draw Bar; Footrest; Supports; Lift Handle;	4
PTO Assy.; Up-Stops; Latch Assy.	
FRONT AXLE GROUP	8
Brake Lever Assy.; Support Assy.; Axle Assy.; Spindles; Tie Rod; Grease Fittings	
Steering Plate; Steering Wheel; Ball Joint Assy.; Drag Link Assy.; Hub Caps	10
ENGINE GROUP	12
Choke Control; Engine; Engine Pulley Assy.; Muffler Extension Assy.; Oil Drain Pipe	
GEAR TRANSMISSION GROUP - Peerless Model 930-039 (Mfg. Nos. 1692160, 1692166) Transmission Support; "V" Belt; Shift Rod	14
HYDRO TRANSMISSION GROUP 1 - Hydro Gear/Agrifab Model 219-1010S	
(Mfg. Nos. 1692156, 1692164) Transmission Support; "V" Belt; Shift Rod	16
HYDRO TRANSMISSION GROUP 2 - Hydro Gear/Agrifab Model 219-1010S	
(Mfg. Nos. 1692156, 1692164)  Transmission Support; "V" Belt; Shift Rod	18
HYDRO LINKAGE & CONTROL GROUP - Used With Hydro Gear/Agrifab Model 219-1010S	
(Mfg. Nos. 1692156, 1692164)	20
HYDRO TRANSMISSION GROUP - Hydro Gear Model 318-0500	
(Mfg. Nos. 1692259, 1692263) Transmission Support; "V" Belt; Shift Rod	22
HYDRO LINKAGE & CONTROL GROUP - Used With Hydro Gear Model 318-0500	
(Mfg. Nos. 1692259, 1692263)	24
Neutral Handle, Control Assy., Quadrant, Support	
GEAR BRAKE & CLUTCH (Mfg. Nos. 1692160, 1692166)	26
Clutch Arm Assy.; Idler Pulley; Springs & Guides; Brake Rod & Guide; Foot Pedal	
HYDRO BRAKE & CLUTCH - Used With Hydro Gear/Agrifab Model 219-1010S	
(Mfg. Nos. 1692156, 1692164)	28
HYDRO BRAKE & CLUTCH - Used With Hydro Gear Model 318-0500	
(Mfg. Nos. 1692259, 1692263)	30
Clutch Arm Assy.; Idler Pulley; Springs & Guides; Brake Rod & Guide; Foot Pedal	
GEAR ELECTRICAL GROUP (Mfg. No. 1692160, 1692166)	32
HYDRO ELECTRICAL GROUP (Mfg. Nos. 1692156, 1692164, 1692259, 1692263)	04
Ignition Switch; Wiring Harness; Solenoid; Circuit Breaker; Battery, DSI Interlock Module	34


### **Table of Contents**

HOOD, GRILLE & DASH GROUP	36
Dash Board, Fuel Tank & Hose, Grille, Hood & Side Panels	
SEAT & DECK GROUP	38
WHEELS & TIRES GROUP	40
<b>36" MOWER, DECK &amp; ARBOR GROUP</b>	42
36" CLUTCH & ROLLER SUPPORT GROUP	46
36" ROLLER & MISC. GROUP "V" Belt; Lift Chain; Control Lever; PTO Rod; Lift Rod; Clevis	48
DECAL GROUP - REGENT SERIES  Decals, Safety Warning Labels	50
DECAL GROUP - 512 SERIES  Decals, Safety Warning Labels	52
GEAR TRANSAXLE SERVICE PARTS (Mfg. Nos. 1692160, 1692166)	54
HYDRO TRANSAXLE SERVICE PARTS (Mfg. Nos. 1692156, 1692164)	58
HYDRO PUMP SERVICE PARTS (Mfg. Nos. 1692156, 1692164)	62
HYDRO TRANSAXLE SERVICE PARTS (Mfg. Nos. 1692259, 1692263)	64
TORQUE SPECIFICATIONSInside Back C	over

\*\*2405 12-38-Hydro Models only. 39 13 21 20 22 26 25 26-Assemble screw in this location with head to the inside. 33-42--35

Ref. No.	Part No.	Qty.	Description
			Dood, Prior
1	1654707	1	BRACE, Seat
2	1924856	6	SCREW, Taptite, 5/16-18 x 1/2 (Qty. 8 on Hydro
			Models, Mfg. Nos. 1692156, 1692164, 1692259,
			1692263)
3	1702627	.1	SUPPORT, Axle Wrapper
4	1655591	1	BAR, Draw
5	1921210	6	CAPSCREW, Hex, 3/8-16 x 1
6	1916965	9	LOCKWASHER, 3/8
7	1916950	- 10	NUT, Hex, 3/8-16
8	1921965	3	CAPSCREW, Hex, 3/8-16 x 3/4
9	172038	2	KNOB, Handle
10	1704890	1	HANDLE, Lift
11	960171	1	WASHER
12	1703805	1	KLIPRING, 1/2
13	1701314	1	SPRING, Torsion
14	158399	2	RING, Retaining
15	1700670	1	BRACKET, Seat Latch
16	1673911	1	SPRING, Extension
17	1656754	1	BAR, Support
18	1656755	1 -	ARM, Support
19	1921959	3	CAPSCREW, Hex, 1/4-20 x 5/8
20	1654783	1	SUPPORT, Clutch
21	1701268	1	ROD, Latch (Gear Models, Mfg. Nos.1692160,1692166;
	1702322	4	Hydro Models, 1692259, 1692263)
	1702322	1 .	ROD, Latch (Hydro Models, Mfg. Nos. 1692156, 1692164)
22	1916622	3	•
23	1702452	1	NUT, Hex, 1/4-20 HANDLE ASSY., PTO Clutch
24	1678388	2	CLIP
25	1709280	2	FOOTREST
26	1921332	14	CAPSCREW, Hex, 5/16-18 x 3/4 (Qty. 6 used on Hydro
20	1921002	1-4	Models, Mfg. Nos. 1692259, 1692263)
27	1917356	14	LOCKWASHER, 5/16
28	1917372	14	NUT, Hex, Full, 5/16-18 (Qty. 18 on Hydro Models, Mfg. Nos. 1692156, 1692164, 1692259, 1692263)
29	1664847	2	SCREW, Taptite, 5/16-18 x 3/4 (Qty. 6 used on Hydro Models, Mfg. Nos. 1692259, 1692263)
30	1655076	2	BRACE, Axle Support

See pages 6 & 7 for Ref. Nos. 31 - 45.




Ref.	Part		
No.	No.	Qty.	Description
31	1664034	1	SUPPORT, Axle
32	1919381	1	WASHER, Plain, 11/32-1 x 10 Ga.
33	1665803	1	SUPPORT
34	1672118	1	STOP, Belt
35	1665812	1	STOP, Belt
36	1919326	2	WASHER, 11/32
37	1930595	1	CAPSCREW, Hex Flange Hd., 5/16-18 x 1-1/4
38	1704505	1	BUSHING
39	1708723	1	FRAME, (Gear Models, Mfg. Nos. 1692160, 1692166;
			Hydro Models, Mfg. Nos. 1692259, 1692263)
	1708722	. 1	FRAME, (Hydro Models, Mfg. Nos. 1692156, 1692164)
40	1925003	2	SCREW, Taptite, 1/4-20 x 1/2
41	1923325	2	CAPSCREW, Hex, 5/16-18 x 7/8
42	1927557	3	LOCKNUT, Hex, Flange Whiz, 5/16-18
43	1921319	1	WASHER
44	1705873	1	BRACKET, Spring (Hydro Models,
			Mfg. Nos. 1692156, 1692164, 1692259, 1692263)
45	1656791	1	SUPPORT, Hood (Gear Models, Mfg. Nos. 1692160, 1692166)

See pages 4 & 5 for Ref. Nos. 1 - 30.


\*\*1513 Hydro Models Grease Ref. No. 9 includes Ref. Nos. 7 & 8 **Gear Models** 24 25 11 14 15 16 Torque to 45-62 ft.lbs. 27 Lube spindle thru fittings with grease (2 places) 13 Torque to 15-25 ft.lbs. See Steering & Front Wheel Group 22 19 See Steering & Front Wheel Group Note: Use standard hardware torque spc. chart unless otherwise noted.

Ref.	Part		
No.	No.	Qty.	Description
1	1709305	1	LEVER ASSY., Brake (Gear Models,
			Mfg. Nos. 1692160, 1692166)
	1709304	1	LEVER ASSY., Brake (Hydro Models,
			Mfg. Nos. 1692156, 1692164)
	1709785	1	LEVER ASSY., Brake (Hydro Models,
			Mfg. Nos. 1692259, 1692263)
2	1664847	5	SCREW, Taptite, 5/16-18 x 3/4
3		1	SUPPORT ASSY., Axle, Rear (See Ref. No. 4)
4	1665601	1	SUPPORT ASSY., Rear (Incl. Ref. No. 5)
5	1663114	1	BUSHING
6	1611710	2	KLIPRING, Ext., 3/4
7	176440	4	BUSHING
8		1	AXLE SUB ASSY. (See Ref. No. 9)
9	1611708	1	AXLE ASSY., Front
			(Incl. Ref. Nos. 7 & 8)
10	921133	2	FITTING, Lube, Drive Type
11	1960114	2	WASHER
12	1611703	111	SPINDLE ASSY., R.H.
13	1930651	2	LOCKNUT, Hex, 3/8-16
14	1921525	1	CAPSCREW, Hex, 1/2-13 x 1-3/4 (Gr. 8)
15	1924361	2	WASHER
16	1671260	1	SPACER
17	1960362	1	LOCKNUT, Hex, Flange Lock, 1/2-13
18	1611715	1	TIE ROD ASSY.
19	1705918	1	SPINDLE ASSY., L.H.
20	1960020	1	WASHER
21	1917372	1	NUT, Hex, 5/16-18
22	1924940	2	WASHER, 3/8
23	1919326	1	WASHER
24	1668147	1	GUIDE, Drag Link
25	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
26	1611705	2	SPACER
27	1921210	2	CAPSCREW, 3/8-16 x 1



torque spc. chart unless otherwise noted.


REF. NO.	PART NO.	QTY.	DESCRIPTION
1	1921332	4	CAPSCREW, 5/16-18 x 3/4
2	1667513	1	TOP PLATE, Steering
3	1930245	1	LOCKNUT, Center, 1/2-20
4	1701266	1	SHAFT ASSY., Steering
5	176440	5	BUSHING
6	1667622	1	KEY
7	1928721	2	SETSCREW, 5/16-18 x 1/2
8	1675388	1	GEAR, Steering
9	1705914	1	LINK ASSY., Drag (Incl. Ref. Nos. 18, 23 & 24)
10	1652743	1	BASE PLATE, Steering
11	1935048	4	LOCKNUT, Flange, Whiz, 5/16-18
12	1674076	1	ROD, Steering
13	1668927	1	LOCKNUT, Center, 3/8-24
14	1657017	1	CAP, Steering Wheel
15	1673333	2	CAP, Hub, Threaded
16	1923362	1	LOCKNUT, Hex, 5/16-18
17	1670989	1	WHEEL, Steering
18	1919262	1	NUT, Jam, 1/2-20
19	1611710	2	KLIPRING, Ext., 3/4
20	960202	2	WASHER
21	1919326	2	WASHER, Plain, 5/16
22	1925690	1 .	BOLT, Hex, 5/16-18 x 3-1/2
23	1705437	1	BALL JOINT ASSY., 1/2-20 Thrd. Stud.
24		1	LINK, Drag (Not Serviced Separately. See Ref. No. 9)



Ref.	Part		
No.	No.	Qty.	Description
1	*	1	ENGINE, 12.5 HP
2	1656099	1	KNOB, Throttle
3	1707388	1	CONTROL ASSY., Throttle
4	960241	2	RIVET, Pop, 1/4
5	1924356	6	WASHER, Plain, 3/8
6	172844	2	STOP, Belt
7	1924940	2	WASHER, 13/32
8	1930598	3	SCREW, Taptite, 3/8-16 x 1-1/2 (Qty. 4 on Hydro Models,
			Mfg. Nos. 1692156, 1692164, 1692259, 1692263))
9	1674163	1	PULLEY ASSY., Engine (Gear Models,
			Mfg. Nos. 1692160, 1692166)
	1674165	1	PULLEY ASSY., Engine (Hydro Models,
			Mfg. Nos. 1692156, 1692164)
	1657118	1	PULLEY ASSY., Engine (Hydro Models,
			Mfg. Nos. 1692259, 1692263)
10	1918199	1	LOCKWASHER, 7/16
11	1928038	1	CAPSCREW, Hex, 7/16-20 x 1-1/4
12	1917372	3	NUT, Hex, 5/16-18
13	1917356	5	LOCKWASHER, 5/16
14	1655848	1	MUFFLER
15	1676183	1	CLAMP
16	1655860	1	PIPE, Exhaust
17	1650670	1	GASKET, Muffler
18	1921332	2	SCREW, Whizlock, 5/16-18 x 3/4
19	1667346	1	CAP, Pipe
20	1655405	1	PIPE, Oil Drain
21	1932849	1	LOCKNUT
22	1931342	1	BOLT, Carriage, 5/16-18 x 2-3/4 Gr. 5
23	1919326	1	WASHER
24	960361	1	SCREW, Taptite, 3/8-16 x 2, Zinc Pltd. (Gear Models,
			Mfg. Nos. 1692160, 1692166)
25	920427	<b>، 1</b>	LOCKWASHER, Ext., 3/8, Zinc Pltd.
26	916950	1	NUT, Hex Jam Lock, 3/8-16, Zinc Pltd. (Gear Models,
			Mfg. Nos. 1692160, 1692166)
	1960251	1	NUT, Hex Jam Lock, 3/8-16, Zinc Pltd. (Hydro Models,
			Mfg. Nos. 1692156, 1692164, 1692259, 1692263)


#### NOTE: Use Simplicity engine oil as follows:

- SAE 30W SG/CC for temperature operating range of 32° F and above. See inside front cover for part number.
- 5W30 SF/CD for temperature operating range of 32° and under. See inside front cover for part number.
- \* See your local Briggs & Stratton dealer for parts.



Def	Doub		
Ref. No.	Part No.	Qty.	Description
1	1708114	1	"V" BELT
2	1917372	3	NUT, Hex, 5/16-18
3	1917356	3	LOCKWASHER, 5/16
4	1666709	1	STOP, Belt
5	1919326	3	WASHER, 11/32
6	1921333	4	CAPSCREW, Hex, 5/16-18 x 1
7	1666693	1	PULLEY ASSY., Transmission
8	1930540	2	SETSCREW, 5/16-18 x 5/8
9	1928352	6	LOCKNUT, Hex, Flange, 3/8-16
10	1920415	1	CAPSCREW, Hex, 3/8-16 x 1-1/4
11	1916965	3	LOCKWASHER, 3/8
12	1921210	9	CAPSCREW, Hex 3/8-16 x 1
13	1666632	2	SUPPORT, Transmission, Rear
14	1921719	4	CAPSCREW, Hex, 5/16-18 x 2-1/2
15	1930651	1	LOCKNUT, Hex, 3/8-16
16	905123	1	KEY, Woodruff, #9
17	8221042	2	KEY, 3/16 x 3/16 x 1-1/2
18	1960027	4	WASHER, Rev. Pinion
19	1924940	1	WASHER, 13/32
20	1663180	1	SPACER
21	*	1	TRANSAXLE, 5 Speed, Peerless Model 930-039
22	1666631	1	SUPPORT, Transmission, Front
23	1920427	1	LOCKWASHER, Ext.
24	1923362	4	LOCKNUT, 5/16-18
25	1930601	2	SCREW, Taptite, 5/16-18 x 5/8
26	1705590	1	SPACER, Special
27	1708408	1	ROD, Shift
28	8021050	1	KNOB, Ball, Shift
29	1922234	1	CAPSCREW, Hex, 1/4-28 x 5/8
30	1916964	1	LOCKWASHER, 1/4
31	1921319	1	WASHER, Plain
32	1666638	1	LINK, Shift, Lower
33	1708022	1	SHIFT LINK ASSY., Upper
34	1922755	3	WASHER
35	1921973	1	CAPSCREW, 3/8-16 x 2-3/4
36	1916950	5	NUT, Hex, 3/8-16
37	1960202	1	WASHER, 1/4
38	927794	2	E-RING
39	1960160	4	WASHER
40	1673333	2	CAP, Hub, Threaded
41	158499	2	BELT STOP
42	1918196	1	PIN, Quick
43	1918447	1	PIN, Cotter
44	1935048	1	NUT, Hex, Flange Hd., 5/16-18
45	1709864	1	BRACKET, Pulley
46	1708029	1	PULLEY, idler, "V"
47	1708221	i	BELT STOP
48	1676375	1	SPACER
	.0.0070	•	


<sup>\*</sup> Order Peerless parts from your authorized Tecumseh Distributor. See pages 54 - 57 for Service Parts.




1 1709251 1 TRANSMISSION ASSY., Hydro Gear/Agrifab Model 219-1010S (Incl. Ref. Nos. 2 & 3)  * 2 1705770 1 TRANSAXLE, Hydro Gear/Agrifab Model 210-1000  ** 3 1705771 1 HYDRO PUMP, Sundstrand Model BDU-10S-114  * 4 1708356 1 BELT GUIDE  5 1930642 1 NUT, Hex, Flange, Two-Way Lock, 1/4-20  * 6 1921319 1 WASHER  7 1705881 1 RESERVOIR, Expansion  8 1705546 1 PULLEY ASSY.  9 1707054 1 FAN, Biade, 5"  10 1706616 1 RING, Self-Locking  11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2  12 1917356 4 LOCKWASHER, 5/16 Std.  13 1919326 8 WASHER, 5/16 Std.  14 1673333 2 CAP, Hub, Threaded  15 927794 2 "E" RING  16 1960160 2 WASHER, 3/4  17 124044 1 SPACER, Left Side  18 1960114 2 WASHER  20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18  21 1707031 1 GUARD, Fan  22 121037 1 SPRING  23 1705842 1 TOW VALVE LEVER ASSY.  170 WALVE LEVER ASSY.  170 WASHER, 5/16  30 1705872 1 STOP, Belt  31 1931349 2 CARRIAGE BOLT, 3/6-18 x 1  29 1919381 1 WASHER, Plain, 5/16  30 1705872 1 STOP, Belt  31 1931349 2 CARRIAGE BOLT, 3/6-18 x 1  32 1705803 1 PIVOT, Brake  34 1705803 1 PIVOT, Brake  36 1916965 3 LOCKWASHER, 3/8  37 1918447 2 PIN, Cotter  38 1705874 1 BRACKET, Support  49 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 1  40 1673106 1 STOP, Belt  41 1922755 2 WASHER, 3/8  44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5  5ELT  **URITY OF CHARLES AND THE STOP THE STOP, Belt  45 1960110 2 SET SCREW, Sq. Hd., 1/4-28  **URSTER, S/16 STOP, Belt  46 1656960 1 "V" BELT	Ref. No.	Part No.	Qty.	Description
219-1010S (Incl. Ref. Nos. 2 & 3)  ** 2		1700051	4	TRANSMISSION ASSV. Under Coor/Acrifol Model
* 2	•	1709251		· · · · · · · · · · · · · · · · · · ·
*** 3	* 2	1705770	1	· · · · · · · · · · · · · · · · · · ·
4         1708356         1         BELT GUIDE           5         1930642         1         NUT, Hex, Flange, Two-Way Lock, 1/4-20           6         1921319         1         WASHER           7         1705881         1         RESERVOIR, Expansion           8         1705546         1         PULLEY ASSY.           9         1707054         1         FAN, Blade, 5°           10         1706616         1         RING, Self-Locking           11         1925692         3         CAPSCREW, Hex Hd., 5/16-18 x 4-1/2           12         1917356         4         LOCKWASHER, 5/16           13         1919326         8         WASHER, 5/16 Std.           14         1673333         2         CAP, Hub, Threaded           15         927794         2         "E" RING           16         1960160         2         WASHER, 3/4           17         124044         1         SPACER, Left Side           18         1960114         2         WASHER           19         1705880         1         SPACER, Inight Side           10         17077031         1         GUARD, Fan           21         17070731				
5 1930642 1 NUT, Hex, Flange, Two-Way Lock, 1/4-20 6 1921319 1 WASHER 7 1705881 1 RESERVOIR, Expansion 8 1705546 1 PULLEY ASSY. 9 1707054 1 FAN, Blade, 5" 10 1706616 1 RING, Self-Locking 11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 13 1919326 8 WASHER, 5/16 Std. 14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Left Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Flain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 1 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, J/8 45 1960110 2 SET SCREW, Hex, 3/8-16 x 1-1/4 40 1673106 1 STOP, Belt 45 1960110 2 SET SCREW, Re, Hd., 1/4-28			-	
6 1921319 1 WASHER 7 1705881 1 RESERVOIR, Expansion 8 1705546 1 PULLEY ASSY. 9 1707054 1 FAN, Biade, 5" 10 1706616 1 RING, Self-Locking 11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 Std. 14 167333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, Self-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 3/8-16 x 7/8 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916960 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 45 1960110 2 SET SCREW, Hex Hd., 1/4-28				
7 1705881 1 RESERVOIR, Expansion 8 1705546 1 PULLEY ASSY. 9 1707054 1 FAN, Blade, 5" 10 1706616 1 RING, Self-Locking 11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 13 1919326 8 WASHER, 5/16 Std. 14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, Plain, 5/16 18 26 1920161 1 NUT, Hex, Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 1 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 45 1960110 2 SET SCREW, Hex Hd., 5/16 s 1-1/4 48 1705810 1 ROD, Brake 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28			1	
8 1705546 1 PULLEY ASSY. 9 1707054 1 FAN, Blade, 5' 10 1706616 1 RING, Self-Locking 11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 Std. 13 1919326 8 WASHER, 5/16 Std. 14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 3/8-16 x 7/8 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28			1	
9 1707054 1 FAN, Blade, 5" 10 1706616 1 RING, Self-Locking 11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 13 1919326 8 WASHER, 5/16 Std. 14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex, Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 3/8-16 x 7/8 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 1 922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex Hd., 5/16-18 x 1 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 945 1960110 2 SET SCREW, Sq. Hd., 1/4-28	8	1705546	1	•
10 1706616 1 RING, Self-Locking 11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 Std. 13 1919326 8 WASHER, 5/16 Std. 14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GJARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 3/8-16 x 7/8 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28		1707054	1	•
11 1925692 3 CAPSCREW, Hex Hd., 5/16-18 x 4-1/2 12 1917356 4 LOCKWASHER, 5/16 13 1919326 8 WASHER, 5/16 Std. 14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex, Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28		1706616	1	
12		1925692	3	The state of the s
14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705803 1 PIVOT, Brake 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	12	1917356	4	
14 1673333 2 CAP, Hub, Threaded 15 927794 2 "E" RING 16 1960160 2 WASHER, 3/4 17 124044 1 SPACER, Left Side 18 1960114 2 WASHER 19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705803 1 PIVOT, Brake 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	13	1919326	8	WASHER, 5/16 Std.
16         1960160         2         WASHER, 3/4           17         124044         1         SPACER, Left Side           18         1960114         2         WASHER           19         1705880         1         SPACER, Right Side           20         1935048         4         NUT, Hex, Flange, Two-Way Lock, 5/16-18           21         1707031         1         GUARD, Fan           22         121037         1         SPRING           23         1705842         1         TOW VALVE LEVER ASSY.           24         1706087         1         TUBE, Pivot, Internal           25         1924874         4         WASHER, 5/16           26         1920161         1         NUT, Hex, John, 5/16-18           27         1705515         1         TORQUE STRAP           28         1917372         3         NUT, Hex, 5/16-18           29         1919381         1         WASHER, Plain, 5/16           30         1705872         1         STOP, Belt           31         1931349         2         CARRIAGE BOLT, 3/8-16 x 7/8           32         1931335         2         CARRIAGE BOLT, 5/16-18 x 1           33	14	1673333	2	
17	15	927794	2	
18       1960114       2       WASHER         19       1705880       1       SPACER, Right Side         20       1935048       4       NUT, Hex, Flange, Two-Way Lock, 5/16-18         21       1707031       1       GUARD, Fan         22       121037       1       SPRING         23       1705842       1       TOW VALVE LEVER ASSY.         24       1706087       1       TUBE, Pivot, Internal         25       1924874       4       WASHER, 5/16         26       1920161       1       NUT, Hex Jam, 5/16-18         27       1705515       1       TORQUE STRAP         28       1917372       3       NUT, Hex, 5/16-18         29       1919381       1       WASHER, Plain, 5/16         30       1705872       1       STOP, Belt         31       1931335       2       CARRIAGE BOLT, 3/8-16 x 7/8         32       1931335       2       CARRIAGE BOLT, 5/16-18 x 1         33       1705906       1       SPACER         34       1705803       1       PIVOT, Brake         35       1916965       3       LOCKWASHER, 3/8         36       1916995       3 </td <td>16</td> <td>1960160</td> <td>2</td> <td>WASHER, 3/4</td>	16	1960160	2	WASHER, 3/4
19 1705880 1 SPACER, Right Side 20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916955 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	17	124044	1	SPACER, Left Side
20 1935048 4 NUT, Hex, Flange, Two-Way Lock, 5/16-18 21 1707031 1 GUARD, Fan 22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	18	1960114	2	WASHER
21 1707031 1 GUARD, Fan  22 121037 1 SPRING  23 1705842 1 TOW VALVE LEVER ASSY.  24 1706087 1 TUBE, Pivot, Internal  25 1924874 4 WASHER, 5/16  26 1920161 1 NUT, Hex Jam, 5/16-18  27 1705515 1 TORQUE STRAP  28 1917372 3 NUT, Hex, 5/16-18  29 1919381 1 WASHER, Plain, 5/16  30 1705872 1 STOP, Belt  31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8  32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1  33 1705906 1 SPACER  34 1705803 1 PIVOT, Brake  35 1916965 3 LOCKWASHER, 3/8  36 1916950 3 NUT, Hex, 3/8-16  37 1918447 2 PIN, Cotter  38 1705874 1 BRACKET, Support  39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11  40 1673106 1 STOP, Belt  41 1922755 2 WASHER, 3/8  42 1920415 1 CAPSCREW, Hex Hd., 5/16-18 x 11  43 1705810 1 ROD, Brake  44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5  45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	19	1705880	1	SPACER, Right Side
22 121037 1 SPRING 23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	20	1935048	4	NUT, Hex, Flange, Two-Way Lock, 5/16-18
23 1705842 1 TOW VALVE LEVER ASSY. 24 1706087 1 TUBE, Pivot, Internal 25 1924874 4 WASHER, 5/16 26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	21	1707031	1	GUARD, Fan
24       1706087       1       TUBE, Pivot, Internal         25       1924874       4       WASHER, 5/16         26       1920161       1       NUT, Hex Jam, 5/16-18         27       1705515       1       TORQUE STRAP         28       1917372       3       NUT, Hex, 5/16-18         29       1919381       1       WASHER, Plain, 5/16         30       1705872       1       STOP, Belt         31       1931349       2       CARRIAGE BOLT, 3/8-16 x 7/8         32       1931335       2       CARRIAGE BOLT, 5/16-18 x 1         33       1705906       1       SPACER         34       1705803       1       PIVOT, Brake         35       1916965       3       LOCKWASHER, 3/8         36       1916950       3       NUT, Hex, 3/8-16         37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1	22	121037	1	SPRING
25	23	1705842	1	TOW VALVE LEVER ASSY.
26 1920161 1 NUT, Hex Jam, 5/16-18 27 1705515 1 TORQUE STRAP 28 1917372 3 NUT, Hex, 5/16-18 29 1919381 1 WASHER, Plain, 5/16 30 1705872 1 STOP, Belt 31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28	24	1706087	1	TUBE, Pivot, Internal
27       1705515       1       TORQUE STRAP         28       1917372       3       NUT, Hex, 5/16-18         29       1919381       1       WASHER, Plain, 5/16         30       1705872       1       STOP, Belt         31       1931349       2       CARRIAGE BOLT, 3/8-16 x 7/8         32       1931335       2       CARRIAGE BOLT, 5/16-18 x 1         33       1705906       1       SPACER         34       1705803       1       PIVOT, Brake         35       1916965       3       LOCKWASHER, 3/8         36       1916950       3       NUT, Hex, 3/8-16         37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1       CAPSCREW, Hex, 3/8-16 x 1-1/4         43       1705810       1       ROD, Brake         44       924819       1       KEY, Hi-Pro, 1/8 x 5/8, #5         45       1960110       <	25	1924874	4	WASHER, 5/16
28	26	1920161	1	NUT, Hex Jam, 5/16-18
29       1919381       1       WASHER, Plain, 5/16         30       1705872       1       STOP, Belt         31       1931349       2       CARRIAGE BOLT, 3/8-16 x 7/8         32       1931335       2       CARRIAGE BOLT, 5/16-18 x 1         33       1705906       1       SPACER         34       1705803       1       PIVOT, Brake         35       1916965       3       LOCKWASHER, 3/8         36       1916950       3       NUT, Hex, 3/8-16         37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1       CAPSCREW, Hex, 3/8-16 x 1-1/4         43       1705810       1       ROD, Brake         44       924819       1       KEY, Hi-Pro, 1/8 x 5/8, #5         45       1960110       2       SET SCREW, Sq. Hd., 1/4-28	27	1705515	•	TORQUE STRAP
30       1705872       1       STOP, Belt         31       1931349       2       CARRIAGE BOLT, 3/8-16 x 7/8         32       1931335       2       CARRIAGE BOLT, 5/16-18 x 1         33       1705906       1       SPACER         34       1705803       1       PIVOT, Brake         35       1916965       3       LOCKWASHER, 3/8         36       1916950       3       NUT, Hex, 3/8-16         37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1       CAPSCREW, Hex, 3/8-16 x 1-1/4         43       1705810       1       ROD, Brake         44       924819       1       KEY, Hi-Pro, 1/8 x 5/8, #5         45       1960110       2       SET SCREW, Sq. Hd., 1/4-28		1917372	3	NUT, Hex, 5/16-18
31 1931349 2 CARRIAGE BOLT, 3/8-16 x 7/8 32 1931335 2 CARRIAGE BOLT, 5/16-18 x 1 33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28		1919381	1	WASHER, Plain, 5/16
32		1705872		STOP, Belt
33 1705906 1 SPACER 34 1705803 1 PIVOT, Brake 35 1916965 3 LOCKWASHER, 3/8 36 1916950 3 NUT, Hex, 3/8-16 37 1918447 2 PIN, Cotter 38 1705874 1 BRACKET, Support 39 1960416 1 CAPSCREW, Hex Hd., 5/16-18 x 11 40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28		1931349		CARRIAGE BOLT, 3/8-16 x 7/8
34       1705803       1       PIVOT, Brake         35       1916965       3       LOCKWASHER, 3/8         36       1916950       3       NUT, Hex, 3/8-16         37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1       CAPSCREW, Hex, 3/8-16 x 1-1/4         43       1705810       1       ROD, Brake         44       924819       1       KEY, Hi-Pro, 1/8 x 5/8, #5         45       1960110       2       SET SCREW, Sq. Hd., 1/4-28		1931335	2	CARRIAGE BOLT, 5/16-18 x 1
35		1705906	1	
36       1916950       3       NUT, Hex, 3/8-16         37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1       CAPSCREW, Hex, 3/8-16 x 1-1/4         43       1705810       1       ROD, Brake         44       924819       1       KEY, Hi-Pro, 1/8 x 5/8, #5         45       1960110       2       SET SCREW, Sq. Hd., 1/4-28				· · · · · · · · · · · · · · · · · · ·
37       1918447       2       PIN, Cotter         38       1705874       1       BRACKET, Support         39       1960416       1       CAPSCREW, Hex Hd., 5/16-18 x 11         40       1673106       1       STOP, Belt         41       1922755       2       WASHER, 3/8         42       1920415       1       CAPSCREW, Hex, 3/8-16 x 1-1/4         43       1705810       1       ROD, Brake         44       924819       1       KEY, Hi-Pro, 1/8 x 5/8, #5         45       1960110       2       SET SCREW, Sq. Hd., 1/4-28				
38				
39			2	• .
40 1673106 1 STOP, Belt 41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28		1705874	1	· · · · · · · · · · · · · · · · · · ·
41 1922755 2 WASHER, 3/8 42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28			1	
42 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28				
43 1705810 1 ROD, Brake 44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28				
44 924819 1 KEY, Hi-Pro, 1/8 x 5/8, #5 45 1960110 2 SET SCREW, Sq. Hd., 1/4-28				
45 1960110 2 SET SCREW, Sq. Hd., 1/4-28			•	
			-	
46 1656960 1 "V" BELT				
	46	1656960	1	"A" RETL

<sup>\*</sup> See pages 58 - 61 for transaxie service parts.

<sup>\*\*</sup> See pages 62 - 63 for hydro pump service parts.




Ref.	Part		
No.	No.	Qty.	Description
1	1920415	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/2
2	1705882	1	SUPPORT, Transmission
3	1919326	4	WASHER, 5/16 Std.
4	1935048	4	NUT, Hex, Flange, Two-Way Lock, 5/16-18
5	1928352	4	NUT, Hex, Flange Lock, 3/8-16
6	159106	1	SPRING
7	1930645	1	NUT, Hex , Flange, Two-Way Lock, 3/8-16
8	1925690	2	CAPSCREW, Hex Hd., 5/16-18 x 3-1/2
9	1706381	1	BRACKET, Transmission Support
10	1706371	1	PLATE, Shim
11	1924874	4	WASHER, 5/16
12	933988	2	NUT, Push
13	1706383	3	CLAMP, "U" Bracket
14	8221042	2	KEY, 3/16 x 3/16 x 1-1/2
15	1705879	1	LEVER, Hydro Release Valve
16	1705895	1	"U" BOLT
17	1705868	1	SPRING, Tension
18	1925003	1	SCREW, Taptite, 1/4-20 x 1/2
19	1702219	3	SPACER
20	1925592	1	SCREW, Taptite, 1/4-20 x 3/4
21	157127	1	SPRING, Conical
22	1921210	3	CAPSCREW, Hex, 3/8-16 x 1




### Hydro Linkage & Control Group - Used With Hydro Gear/Agrifab Model 219-1010S

Ref. No.	Part No.	Qty.	Description	
1	1664847	4	SCREW, Taptite, 5/16-18 x 3/4	
2	1671009	1	QUADRANT	
3	1960044	1	WASHER, 11/32 x 1-1/4 x 5/64	
4	1960020	1	WASHER, 21/32 x 1-1/4 x 1/16	
5	1705871	1	SPACER	
6	1677746	1	SPRING, Compression	
7	1919381	1	WASHER, 11/32 x 1	
8	1919438	1	NUT, Hex , Lock, Esna, 5/16-18	
9	1705813	1	ARM CONTROL, Directional	
10	1935048	1	NUT, Hex, Flange, Two-way lock, 5/16-18	
11	960431	1	PIN, Spring, 5 mm x 45 mm	
12	1668927	1	NUT, Centerlock, 3/8-24	
13	1708325	1	GUIDE ASSY, Rod	
14	1924940	2	WASHER	
15	1708324	1	ROD, Adjusting	
16	1669567	1	BALL JOINT, R.H.	
17	921133	1	GREASE FITTING	
18	1931801	1	CARRIAGE BOLT, 5/16-18 x 2-1/4	
19	1705900	1	SUPPORT ASSY., Control	
			(Incl. Ref. Nos. 17, 22 & 23)	
20	171165	1	KNOB	
21	1960106	1	SCREW, Plastite, 1/4-20 x 1	
22	910542	2	RIVET, Tubular	
23	1672109	1	PLATE, Wear	
24	1916602	3	NUT, Jam, 3/8-24	
25	165068	1	SPRING	
26	163103	1	SPRING	
27	1922755	1	WASHER, 1" O.D., .13 Thick	




Ref.	Part		
No.	No.	Qty.	Description
*1.	1709811	1	TRANSMISSION, Hydro
2	1666632	2	SUPPORT, Transmission, Rear
3	1921210	4	CAPSCREW, Hex Hd., 3/8-16 x 1
4	1928352	4	LOCKNUT, Hex, Flange, 3/8-16
5	1930651	1	LOCKNUT, Hex, 3/8-16
6	1921719	4	CAPSCREW, Hex Hd., 5/16-18 x 2-1/2
7	1935048	4	NUT, Hex, Flange Lock, 5/8-18
8	1676519	2	HUB CAP
9	1709786	1	PULLEY ASSY.
10	1921977	1	CAPSCREW, Hex Hd., 5/16-18 x 1-1/4
11	1931277	2	NUT, Hex, Whiz Lock, 5/16-18
12	1709790	1	STRAP, Torque
13	1921332	1	CAPSCREW, Hex Hd., 5/16-18 x 3/4
14	1931335	1	CARRIAGE BOLT, 5/16-18 x 1
15	172844	1	BELT STOP
16	1919381	.1	WASHER, 11/32 X 1 X 3/16
17	1917356	1	LOCKWASHER, 5/16
18	1917372	1	NUT, Hex, 5/16-18
19	170164	1	V-BELT
20	1707933	1	FAN
21	1933958	3	SCREW, Taptite, 1/4-20 x 1-1/64
22	1919262	1	NUT, Hex, Jam, 1/2-20
23	1916966	1	LOCKWASHER, 1/2
24	1960509	1	SCREW, Taptite, Hex Hd., 10-24 x 1-1/4
25	1960151	1	WASHER, Plain, 1/4 x 1-11/32 x 1/16
26	157127	- 1	SPRING, Conical
27	1709271	1	LEVER, Tow Valve
28	1923358	1	NUT, Hex, Full Lock, 1/4-20
29	1709901	1	SPACER
30	960202	8	WASHER, Plain, 3/4 x 1-5/8 x 1/8
31	1667191	2	SPACER
32	1701435	2	RETAINER, Hub Cap
33	927794	2	E-RING
34	1922611	1	WASHER, Plain


<sup>\*</sup> See pages 64 & 65 for Service Parts.



Ref.	Part	_		
No.	No.	Qty.	Description	
1	1709824	1	PANEL, Shift	
2	1917372	3	NUT, Hex, 5/16-18	
3	1917356	3	LOCKWASHER, Spring, 5/16	
4	1952003	4	SCREW, Taptite, 5/16-18 x 1/2	
5	1924856	4	SCREW, Taptite, 1/4-20 x 1/2	
6	1919381	1	WASHER, 11/32 x 1 x 1/8	
7	1919326	2	WASHER, Plain, 11/32 x 3/4 x 1/16	
8	1666697	1	SPACER	
9	1960170	1	WASHER, Plain, 1/2 x 1 x 3/32	
10	1704428	4	BUSHING	
11	1709777	1	SHIFT ROD ASSY.	
12	1709775	2	BRACE, Shift Panel	
13	1918447	3	COTTER PIN, 15/16 X 3/4	
14	1924361	1	WASHER, Plain, 1/2 x 1-1/4 x 5/64	
15	1707424	1	SPRING, Torsion	
16	1709784	1	CONTROL LEVER	
17	1924940	1	WASHER, Plain, 13/32 x 7/8 x 5/64	
18	1960223	1	CARRIAGE BOLT, 5/16-18 x 1-1/4	
19	1709227	1	SPACER	
20	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1	
21	1919326	2	WASHER, Plain, 11/32 x 3/4 x 5/64	
22	1709776	1	ROD, Shift	
23	1708539	1	KNOB, Large	
24	1709782	1	ROD, Control	
25	1931335	1	CARRIAGE BOLT, 5/16-18 x 1	




1 1918213 1 NUT, Hex, 7/16-14 2 1918199 1 LOCKWASHER, 7 3 157273 1 STUD 4 1918447 2 PIN, Cotter 5 1919326 2 WASHER, 11/32	
2 1918199 1 LOCKWASHER, 7 3 157273 1 STUD 4 1918447 2 PIN, Cotter 5 1919326 2 WASHER, 11/32	scription
3 157273 1 STUD 4 1918447 2 PIN, Cotter 5 1919326 2 WASHER, 11/32	<b>,</b>
4 1918447 2 PIN, Cotter 5 1919326 2 WASHER, 11/32	7/16
5 1919326 2 WASHER, 11/32	
6 1921969 1 CAPSCREW, 3/8-	16 x 1-1/2
7 1653076 1 IDLER ASSY.	
8 1924940 1 WASHER, Plain, 5	5/16
9 1666294 1 SPACER	
10 1665460 1 PULLEY ASSY.	
11 1677135 1 GUARD, Spring	
12 1916965 1 LOCKWASHER, 3	/8
13 1916950 1 NUT, Hex, 3/8-16	
14 1924058 1 LOCKNUT, Hex. 7	/16-14
15 159106 1 SPRING, Tension	
16 1666656 1 ROD, Brake	
17 1663138 1 GUIDE, Rod	
18 1708228 1 SPACER	
19 1666759 1 SPRING, Return	
20 1935048 1 LOCKNUT, Hex, F	lange, 5/16-18
21 1708226 1 SPRING	
22 1924433 2 LOCKNUT, 5/16-1	8
23 1657222 1 GUIDE ASSY., Ro	
24 157041 1 SPRING, Compres	
25 8191022 1 COLLAR, Set	
26 1928804 1 SETSCREW, 1/4-2	20 x 3/8
27 1702156 1 ROD, Clutch	• <del>• •</del>
28 1657322 1 DAMPER, Rubber	
29 1656852 1 PEDAL, Foot	
30 1656854 1 PLATE, End	
31 1927429 2 SCREW, Taptite, 1	1/4-20 x 5/8
32 1922755 1 WASHER, Plain	



Ref.	Part		
No.	No.	Qty.	Description
1	1960032	1	SCREW, Hex, 3/8-16 x 1-1/4, Thin Hd.
2	1669999	1	SPACER
3	1924940	13	WASHER, 13/32 x 7/8, 14 Ga.
4	1916965	2	LOCKWASHER, 3/8
5	1916950	2	NUT, Hex, 3/8-16
6	1918447	3	PIN, Cotter
7	1921971	1	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4
8	1960251	1	NUT, Hex, Lock, Jam, 3/8-16
9	1669255	1	BUSHING, Ball
10	1672122	1	ARM ASSY., Clutch
11	1708029	1 .	PULLEY, "V"
12	1656054	1	STOP, Belt
13	159181	1	SPRING, Tension, Clutch
14	1663138	1	GUIDE, Rod
15	1960339	3	NUT, Hex , Flange Lock, 3/8-16
16	1919326	1	WASHER, 5/16
17	172452	1	SPACER
18	1923938	1	CAPSCREW, Hex, 3/8-16 x 3-1/2
19	1927429	2	SCREW, Taptite, 1/4-20 x 5/8
20	1705818	1	ROD, Brake
21	1663136	1	SPRING
22	1919438	1	NUT, Hex, Esna, Jam, 5/16-18
23	1657322	1	DAMPER, Rubber
24	1656852	1	PEDAL, Foot
25	1656854	1 -	PLATE, End
26	1921965	1	CAPSCREW, Hex, 3/8-16 x 3/4
27	1700347	1	SPRING
28	1672120	1 -	LINK, Clutch Arm
29	1708030	2	PULLEY ASSY., Idler, Flat
30	1706382	1	STOP, Belt
31	1922755	3	WASHER, 13/32 x 1, 10 Ga. Plain
32	1960074	1	CLIP, Spring
33	1923701	1	CAPSCREW, Hex Hd., 3/8-16 x 2

#### **BRAKE LINKAGE ADJUSTMENT**


- 1. Perform parking brake adjustment in Operator's Manual.
- 2. With brake/clutch pedal depressed and parking brake locked, adjust brake spring (Ref. No. 21) to have an overall length of  $3-3/8" \pm 1/16"$ .




Ref.	Part			
No.	No.	Qty.	Description	
1	156302	1	SPRING, External	
2	1709793	1	BRAKE ARM ASSY.	
3	1709783	1	ROD, Return	
4	1918447	2	COTTER PIN, 3/32 x 3/4	
5	1919326	2	WASHER, Plain, 11/32 x 3/4 x 1/16	
6	159106	1	SPRING, External	
7	1709791	1	ROD, Brake	
8	1919439	. 1	NUT, Hex, Esna, Lock, 3/8-16	
9	1928352	3	NUT, Flange, Whizlock, 3/8-16	
10	108419	2	BUSHING, Plastic	
11	1931353	2	CARRIAGE BOLT, 3/8-16 x 1-3/4	
12	1666759	1	SPRING	
13	1707289	1	PULLEY, Idler	
14	1924940	7	WASHER, 13/32 X 7/8 X 5/64	
15	1928352	3	NUT, Flange, Whizlock, 3/8-16	
16	1923903	1	CAPSCREW, Hex Hd., 3/8-16 x 3	
17	1674669	2	SPACER	
18	1918447	2	COTTER PIN, 3/32 x 3/4	
19	1919326	2	WASHER, Plain, 11/32 x 3/4 x 1/16	
20	1709789	1	IDLER ARM ASSY.	
21	1921332	1	CAPSCREW, Hex Hd., 5/16-18 x 3/4	
22	1708029	1	PULLEY, "V"	
23	1709863	1	BELT STOP	
24	1709780	1	ROD, Clutch	
25	1919438	1	NUT, Hex, Esna, Lock, 3/8-16	
26	1709097	1	SPRING	
27	1917372	3	NUT, Hex, 3/8-16	
28	1917356	3	LOCKWASHER, Spring, 3/8	
29	1709810	1	ACTUATOR, Switch	

#### **BRAKE LINKAGE ADJUSTMENT**


- 1. Perform parking brake adjustment in Operator's Manual.
- 2. With brake/clutch pedal depressed and parking brake locked, adjust brake spring (Ref. No. 26) to have an overall length of 2-7/8" 3".



Ref. No.	Part No.	Qty.	Description
1	1669831	1	HOLD DOWN, Battery
2	1921319	2	WASHER, 9/32
3	1700472	2	ROD, Battery Hold Down
4	122184	1	SWITCH, Headlight
5	1603618	1	CABLE, Ground
6	1704349	2	NUT, Retainer, 1/4-20
7	1929477	4	SCREW, Taptite, #10-24 x 1/2
8	1701580	2	SWITCH, PTO and Neutral
9	1707757	1	HARNESS, Wiring
10	932747	1	TIE, Self-Locking
11	1704581	1	VENT CAP, Battery
12	1704583	1	HOSE, Drain
13	1703484	1	CABLE, Ground
14	1925003	6	SCREW, Taptite, 1/4-20 x 3/8
15	172434	1	CLIP, Cable
16	122023	1 .	COVER, Terminal
17	1701522	1	CABLE
18	1917356	2	LOCKWASHER, 5/16
19	1920263	2	NUT, Hex, 5/16-24
20	1665237	1	WIRE ASSY.
21	1665238	1	CIRCUIT BREAKER
22	927429	2	SCREW, Taptite, 1/4-20 x 5/8, Zinc Pltd.
23	1700751	1	SOLENOID
24	1707755	1	MODULE, DSI Interlock, Seat Switch
25	1916622	2	NUT, Hex, 1/4-20
26	1916964	2	LOCKWASHER, 1/4
27	1685215	1	BATTERY
28	1923341	2	CAPSCREW, Hex Hd., 1/4-20 x 3/4
29	1921319	2	WASHER, 1/4 I.D.
30	1677296	1	BOOT, Insulator
31	1679006	1	SWITCH
32	1674358	1	WIRE ASSY., Headlights
33	1704347	1	ADAPTOR, Nut
34	1704348	. 1	KEYS
35	1701555	1	QUADRANT, Shift
36	930222	1	CLIP, Wire
37	165073	1	CLIP




1 1669831 1 HOL	_D DOWN, Battery
	BLE, Ground (Negative)
	D, Battery Hold Down
	ITCH, Headlight
	BLE (Positive)
	Γ, Retainer, 1/4-20
	REW, Taptite, #10-24 x 1/2 (Mfg. Nos. 1692156,
	2164)
	ITCH, PTO
	RNESS, Wiring
	Γ, Hex, #5-40 (Mfg. Nos. 1692156, 1692164)
	SE, Battery Drain
	TERY
	ITCH, Transmission Interlock (Mfg. Nos. 1692156,
	2164)
	ITCH, Transmission Interlock (Mfg. Nos. 1692259,
	· •
	2263) RE ASSY., Headlights
	<del>-</del>
	P, Wire
	VER, Terminal
17 1701522 1 CAE	
	CKWASHER, 5/16
	Г, Hex, 5/16-24
	RE ASSY.
	CUIT BREAKER
	REW, Taptite, 1/4-20 x 5/8, Zinc Pltd.
	LENOID
	DULE, Interlock, Seat Switch
	Г, Hex, 1/4-20
	CKWASHER, 1/4
	NT CAP, Battery
	PSCREW, Hex Hd., 1/4-20 x 3/4
	SHER, 1/4
	OT, Insulator
	ITCH, Ignition
	APTOR, Wire (Mfg. Nos. 1692156, 1692164)
	APTOR NUT
34 1704348 1 KEY	
	, Cable (Qty. 3 used on Mfg. Nos. 1692259, 2263)
36 1930947 2 LOC	CKWASHER, #5 (Mfg. Nos. 1692156, 1692164)
37 1935031 2 SCF	REW, Phillips #5-40 x 3/4 (Mfg. Nos. 1692156, 2164)
	P, Wire
	APTOR, Wire (Mfg. Nos. 1692259, 1692263)




Note: Use standard hardware torque spc. chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
		aty.	Description
1	171252	- 1	CAP, Fuel Tank
2	1708753	1	DASHBOARD, Top
3	1921961	2	CAPSCREW, Hex, 1/4-20 x 1-1/4
4	1917377	8	WASHER, 1/4,std.
5	1704628	2	CLIP, Hairpin
6	1676860	2	SCREW, Hex , Washer Hd., 1/4-20 x 5/8
7	1664897	1	WASHER, Foam
8		1	FUEL TANK (See Ref. No. 11)
9	1654930	1	BUSHING
10	1666447	1	FITTING
11	1666490	1	TANK ASSY., Fuel (Incl. Ref. Nos. 8, 9, 10, 19 (Qty. 1) & 20)
12	173335	4	PAD
13	1665301	1 .	BRACE
14	1707393	1	DASHBOARD, Bottom
15	1925592	2	SCREW, Taptite, 1/4-20 x 3/4
16	1929783	4	SCREW, Taptite, 1/4-20 x 1
17	1931704	6	LOCKWASHER, Dish, 1/4
18	1923358	2	LOCKNUT, Hex, 1/4-20
19	1960112	2	CLAMP, Hose
20	1657575	1	HOSE, Fuel (12" long)
21	173206	i	FILTER, Fuel
22	1672123	2	EDGING, Lower Dash
23	1704626	2	SPACER, Hood
24	1705249	2	SPACER
25	1703249	1	GRILLE
26	1705248	2	
27	1921977	2	PIVOT, Hood
			CAPSCREW, Hex Hd., 5/16-18 x 1-1/4
28	1708754	1	HINGE, L. H.
29	1708755	1	HINGE, R. H.
30	1919326	2	WASHER, Plain 5/16
31	1917356	2	LOCKWASHER, 5/16
32	1917372	2	NUT, Hex, 5/16-18
33	1708750	1	HOOD
34	1667248	4	CLIP, Canoe
35	1708751	1	SIDE PANEL, L.H.
36	1708752	1	SIDE PANEL, R.H.
37	1708756	1	BAR-TIE, Hood
38	1960295	12	SCREW, Hex, Whizlock, 1/4 -20 x 5/8
39	1920397	12	NUT, Hex, Nylon-lock, 1/4 -20
40	1703945	1	HEADLIGHT ASSY. (Incl. Ref. Nos. 41-45)
41	1703248	1	LENS, Headlight
42	1677371	2	BULB, Headlight, 12.8V
43	1703249	1	BEZEL, Headlight
44	1703946	2	HEAT SHIELD, Headlight
45	1677370	2	SOCKET, Bulb, Headlight


\*\*1307



Ref. No.	Part No.	Qty.	Description
1	1709021	1	SEAT (Incl. Ref. No. 31)
2	1919326	4	WASHER, Plain, 5/16
3	1921332	10	CAPSCREW, Hex, 5/16-18 x 3/4
4	1702690	1	DECK, Seat
5	1666691	2	COVER, Wire
6	1701742	2	BUMPER, Plug
7	1701736	1	SUPPORT, Seat, R.H.
8	1919438	2	LOCKNUT, Hex, 5/16-18
9	1666690	2	SPRING, Seat
10	1701737	1	SUPPORT, Seat, L.H.
11	1927557	8	NUT, Hex, Flange, Whizlock, 5/16-18
12	1930651	2	LOCKNUT, Hex, 3/8-16
13	1928729	2	SCREW, Hex, Taptite, 5/16-18 x 3/8 (Gear models, Mfg.
			Nos. 1692160, 1692166)
14	1668839	1	PANEL, Shift (Gear models, 1692160, 1692166)
	1670670	1	PANEL, Shift (Hydro models, Mfg. Nos. 1692156,
			1692164)
	1709824	1	PANEL, Shift (Hydro models, Mfg. Nos. 1692259,
			1692263)
15	1678415	2	HINGE, Lower
16	1701559	2	HINGE, Upper
17	1923701	2	CAPSCREW, Hex, 3/8-16 x 2
18	1917372	2	NUT, Hex, Full, 5/16-18
19	1703373	1	SWITCH, Seat
20	1701229	1	BUSHING, Snap
21	930222	2	CLIP
22	1921880	2	LOCKWASHER, 1/4 Ext. Tooth
23	1960357	2	SCREW, Rd. Hd., 1/4-20 x 3/4
24	1701252	2	SEAT LATCH ASSY.
25	1931333	2	CARRIAGE BOLT, 5/16-18 x 3/4
26	1917356	2	LOCKWASHER, 5/16
27	1925205	4	CAPSCREW, Hex Hd., 5/16-18
28	1917642	2	WASHER, 5/16 Std.
29	1670674	2	BRACE, Shift Panel (Hydro models,
			Mfg. Nos.1692156, 1692164)
	1709775	2	BRACE, Shift Panel (Hydro models,
			Mfg. Nos. 1692259, 1692263)
30	1924856	4	SCREW, Taptite, 1/4-20 x 3/8 (Hydro models, Mfg. Nos.
			1692156, 1692164, 1692259, 16922630)
31	1709973	1	SEAT COVER




No.         Qty.         Description           Wheel Assemblies equipped with Dico Tires           1         1709854         2         FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)           *2         1713165         2         FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)           *2         1713168         2         FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)           3         1713167         4         BEARING           4         1664090         2         TUBE, Front Wheel, 4.10/3.50-6           5         1713166         2         TIRE, Front Wheel, 15 x 6.00-6           6         172353         4         VALVE STEM & CAP           7         1709855         2         REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4           Ref. Nos. 6, 8, 9 & 10)         1709857         2         REAR WHEEL & STIRE ASSY., Silver, 18 x 8.50-4           Ref. Nos. 6, 8, 9 & 10         8         1713170         2         REAR WHEEL ASSY., Beige, 18 x 8.50-8           1713170         2         REAR WHEEL ASSY., Silver, 18 x 8.50-8           1705378         2         FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)           *2         1705377         2         FRONT WHEEL & SIRE, ASSY., Beige, (Incl. Ref. No. 3)	
1 1709854 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  1709854 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1713165 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)  1713168 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)  3 1713167 4 BEARING  4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6  5 1713166 2 TIRE, Front Wheel, 4.5 x 6.00-6  6 172353 4 VALVE STEM & CAP  7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-1 Ref. Nos. 6, 8, 9 & 10)  1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-1 Ref. Nos. 6, 8, 9 & 10)  8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 Ref. Nos. 6, 8, 9 & 10)  8 1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8 TIRE, Rear Wheel, 18 X 8.50-8  1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assembiles equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)  3 1679713 4 BEARING  4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6  5 1653618 2 TUBE, Front Wheel, 4.10/3.50-6  5 1653618 2 TUBE, Front Wheel, 4.10/3.50-6  6 172353 4 VALVE STEM & CAP  7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4  REAR WHEEL & TIRE ASSY., Silver, 15 x 6.00-6  100-6  100-6  100-7  1	
(Incl. Ref. Nos. 2, 3, 4, 5 & 6)  1709854	
1709854 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1713165 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1713168 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1713167 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1713166 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10)  8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 3 1679713 4 BEARING 1 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4 REAR WHEEL ASSY., Beige, (Incl. Ref. No. 3) REAR WHEEL ASSY., Beige, (Incl. Ref. No. 3) REAR WHEEL ASSY., Beige, (Incl. Ref. No. 3) REAR WHEEL ASSY., Silver, (Incl.	00-6
(Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1713165 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1713168 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1713167 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1713166 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-1 Ref. Nos. 6, 8, 9 & 10) 8 1713169 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-1 Ref. Nos. 6, 8, 9 & 10) 8 1713171 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4	
*2 1713165 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1713168 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1713167 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1713166 2 TIRE, Front Wheel, 1.5 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8 9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires 1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4	00-6
1713168 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1713167 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1713166 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL & TIRE ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4	
3 1713167 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1713166 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-8 Ref. Nos. 6, 8, 9 & 10) 8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4	
4       1664090       2       TUBE, Front Wheel, 4.10/3.50-6         5       1713166       2       TIRE, Front Wheel, 15 x 6.00-6         6       172353       4       VALVE STEM & CAP         7       1709855       2       REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4         Ref. Nos. 6, 8, 9 & 10)       1709857       2       REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-8         Ref. Nos. 6, 8, 9 & 10)       8       1713169       2       REAR WHEEL ASSY., Beige, 18 x 8.50-8         9       173171       2       REAR WHEEL ASSY., Silver, 18 x 8.50-8         Wheel Assemblies equipped with Carlisle Tires         1       1705376       2       FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)         *2       1705378       2       FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)         *2       1705377       2       FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)         3       1679713       4       BEARING         4       1664090       2       TUBE, Front Wheel, 4.10/3.50-6         5       1653618       2       TIRE, Front Wheel, 15 x 6.00-6         6       172353       4       VALVE STEM & CAP         7       1673244       2       REAR	3)
5       1713166       2       TIRE, Front Wheel, 15 x 6.00-6         6       172353       4       VALVE STEM & CAP         7       1709855       2       REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6         Ref. Nos. 6, 8, 9 & 10)       1709857       2       REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-8         Ref. Nos. 6, 8, 9 & 10)       8       1713169       2       REAR WHEEL ASSY., Beige, 18 x 8.50-8         9       173171       2       REAR WHEEL ASSY., Silver, 18 x 8.50-8         Wheel Assemblies equipped with Carlisle Tires         1       1705376       2       FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)         *2       FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)         *2       1705378       2       FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)         *2       1705377       2       FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)         3       1679713       4       BEARING         4       1664090       2       TUBE, Front Wheel, 4.10/3.50-6         5       1653618       2       TIRE, Front Wheel, 15 x 6.00-6         6       172353       4       VALVE STEM & CAP         7       1673244       2       REAR WHEEL & TIRE ASSY., Beig	
6 172353 4 VALVE STEM & CAP 7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-18 Ref. Nos. 6, 8, 9 & 10) 1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-18 Ref. Nos. 6, 8, 9 & 10) 8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 REAR WHEEL ASSY., Beige, 18 x 8.50-8 REAR WHEEL ASSY., Silver, 18 x 8.50-8 9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires 1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-4	
7 1709855 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10) 8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8 9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
Ref. Nos. 6, 8, 9 & 10)  1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-8  Ref. Nos. 6, 8, 9 & 10)  REAR WHEEL ASSY., Beige, 18 x 8.50-8  1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8  1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING  4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP  7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
1709857 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-6 Ref. Nos. 6, 8, 9 & 10)  8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8  9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING  4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP  7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	0-8 (Incl.
Ref. Nos. 6, 8, 9 & 10)  8	
Ref. Nos. 6, 8, 9 & 10)  8	0-8 (Incl.
8 1713169 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8 1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8 9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-8	•
1713171 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)	
9 1713170 2 TIRE, Rear Wheel, 18 X 8.50-8  Wheel Assemblies equipped with Carlisle Tires  1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)  1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3)  3 1679713 4 BEARING  4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6  5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6  6 172353 4 VALVE STEM & CAP  7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
1 1705376 2 FRONT WHEEL & TIRE ASSY., Beige, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) 1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6) *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
(Incl. Ref. Nos. 2, 3, 4, 5 & 6)  1705378  2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377  2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3)  1705379  2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3)  3 1679713  4 BEARING  4 1664090  2 TUBE, Front Wheel, 4.10/3.50-6  5 1653618  2 TIRE, Front Wheel, 15 x 6.00-6  6 172353  4 VALVE STEM & CAP  7 1673244  2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
1705378 2 FRONT WHEEL & TIRE ASSY., Silver, 15 x 6.00 (Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	00-6
(Incl. Ref. Nos. 2, 3, 4, 5 & 6)  *2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
*2 1705377 2 FRONT WHEEL ASSY., Beige, (Incl. Ref. No. 3) 1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	00-6
1705379 2 FRONT WHEEL ASSY., Silver, (Incl. Ref. No. 3) 3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-6	
3 1679713 4 BEARING 4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-i	
4 1664090 2 TUBE, Front Wheel, 4.10/3.50-6 5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-i	3)
5 1653618 2 TIRE, Front Wheel, 15 x 6.00-6 6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-i	
6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-	
6 172353 4 VALVE STEM & CAP 7 1673244 2 REAR WHEEL & TIRE ASSY., Beige, 18 x 8.50-	
	0-8 (Incl.
Ref. Nos. 6, 8, 9 & 10)	
1677545 2 REAR WHEEL & TIRE ASSY., Silver, 18 x 8.50-	)-8 (Incl.
Ref. Nos. 6, 8, 9 & 10)	- (•
8 1673245 2 REAR WHEEL ASSY., Beige, 18 x 8.50-8	
1677546 2 REAR WHEEL ASSY., Silver, 18 x 8.50-8	
9 1655916 2 TIRE, Rear Wheel, 18 x 8.50-8	



Note: Use standard hardware torque spc. chart unless otherwise noted.

Ref.	Part		
No.	No.	Qty.	Description
1	1930585	2	CAPSCREW, Hex Hd., 7/16-14 x 3-1/2
2	1918199	2	LOCKWASHER, 7/16
3	1933263	2	WASHER, 29/64 x 1-1/4 x 1/4
4	1673109	1	PULLEY ASSY.
5	1657969	2	SHIELD, Bearing, Upper
6	1655729	2	ARBOR HOUSING, Top
7	108202	4	BEARING
8	1685245	2	SHAFT, Arbor (Incl. Ref. No. 20)
9	1685251	2	SHAFT & BEARING ASSY. (Incl. Ref. Nos. 7 (Qty. 2), 8, 20 & 43)
10	1703273	2	ARBOR HOUSING ASSY., Bottom (Incl. Ref. No. 12)
11	1931277	9	NUT, Hex, Flange, Whizlock, 5/16-18
12	1704314	2	GREASE FITTING
13	1685102	1	HOUSING, 36", ORANGE (Incl. Safety Decals)
	61685102	1	HOUSING, 36", BLACK (Incl. Safety Decals)
14	1657660	1	STOP, Belt
15	1919326	2	WASHER, 11/32
16	1702190	1	DEFLECTOR, ORANGE
	61702190	1	DEFLECTOR, BLACK
17	1931211	2	NUT, Hex, Flange, Whizlock, 3/8-16
18	1924940	2	WASHER, 13/32
19	1931348	2	CARRIAGE BOLT, 3/8-16 x 3/4
20	1672132	2	COLLAR, Arbor
21	1700230	2	WASHER, Shim
22	1700229	2	SHIELD, Grass
23	1655777	2	ADAPTOR, Blade
24	1930584	1	CAPSCREW, Hex Hd., 7/16-14 x 2-3/4
25	1657589	2	BLADE, 36"
26	1656927	2	WASHER, Spline
27	1656916	2	WASHER, Cup
28	1923491	2	CAPSCREW, Hex Hd., 7/16-14 x 1
29	1960373	12	SCREW, Hex, Wash. Hd., Taptite, 5/16-18 x 1
30	1931333	6	CARRIAGE BOLT, 5/16-18 x 3/4
31	1603205	1	SHAFT, Roller, Center
32	927793	1	E-RING
33	1671577	1	BAFFLE
34	1921332	2	CAPSCREW, Hex Hd., 5/16-18 x 3/4
35	1668500	1	BRACKET, Mower
36	1705953	1	BRACKET, Center, Roller
37	1927557	4	NUT, Hex , Flange, Whizlock, 5/16-18
38	1668513	1	ROLLER
39	1673106	1	STOP, Belt

See pages 44 - 45 for Ref. Nos. 40 - 51.




Ref.	Part		
No.	No.	Qty.	Description
40	1655839	1	PULLEY ASSY.
41	960171	1	WASHER, Nylon
42	1678100	1	WASHER, Wave
43	1707335	2	GASKET, Foam
44	1678339	1	BRACKET, Lift
45	1925690	1	CAPSCREW, Hex Hd., 5/16-18 x 3-1/2
46	1707992	1	BAFFLE, Mulching (See Note below)
47	1917356	2	LOCKWASHER, 5/16
48	917372	2	NUT, Hex, 5/16-18
49	1931317	1	CARRIAGE BOLT, 1/4-20 x 3/4
50	1916964	1	LOCKWASHER, 1/4
51	1916622	1	NUT, Hex, 1/4-20
Not Sho	wn		
	1686609	1	LEAF SHREDDER KIT, Optional, used with mulching baffle, Ref. No. 46
			(Incl. Qty. 8-1707684, Leaf Shredders, Qty. 8-1919438, Lock nuts)


See pages 42 & 43 for Ref. Nos. 1 - 39.

NOTE: The mulching baffle (Ref. No. 46) is an option on Hydro models, Mfg. Nos. 1692156 & 1692164 and on earlier styles of all other models. It is standard equipment on later styles of the following models, beginning with the indicated serial numbers:

Hydro Model, Mfg. No. 1692259:	Serial No. 4191
Hydro Model, Mfg. No. 1692263:	Serial No. 1029
Gear Model, Mfg. No. 1692160:	Serial No. 4191
Gear Model, Mfg. No. 1692166:	Serial No. 1412




Ref.	Part	<b>0</b> 4	
No.	No.	Qty.	Description
1	1664004	4	CLIP, Brake Rod
2	1701532	1	SUPPORT, Brake
3	1701535	1	ROD, Brake
4	1930645	4	NUT, Hex Flange, 3/8-16
5	1931277	14	NUT, Hex, Flange, Whizlock, 5/16-18
6	1654655	1	STRAP
7	1663223	1	QUADRANT ASSY. (Includes Ref. Nos. 8, 9 & 10)
8	1663222	1	SPRING, Flat
9	010510	1	QUADRANT (See Ref. No. 7)
10	910542	3	RIVET, Tubular, 3/16 x 5/16
11	1668099	1	SUPPORT ASSY., Roller, R.H.
12	1923087	2	PIN, Clevis
13	1918447	4	PIN, Cotter, 3/32 x 3/4
14	108157	2	CLEVIS, Adjusting
15	1653768	1	CLAMP, Adjusting, Wheel Support
16	1655811	1	ROD, Bolt
17	108512	1	PIVOT
18	1668098	1	SUPPORT ASSY., Roller, L.H.
19	1931333	8	CARRIAGE BOLT, 5/16-18 x 3/4
20	1916950	4	NUT, Hex, Full, 3/8-16
21	1702341	1	SUPPORT ASSY., Mower
22	1702502	2	ROD, Height Adjustment
23	1924940	1	WASHER, 13/32
24	1674011	1	ARM ASSY., Rocker
25	108717	2	SPACER
26	1923220	2	CARRIAGE BOLT, 3/8-16 x 1-1/4
27	154177	1	SPACER
28	108662	1	GUIDE ASSY., Rod
29	1928804	1	SETSCREW, 1/4-20 x 3/8
30	8191022	1	COLLAR, Set
31	163103	1	SPRING
32	171320	1	ROD, Clutch
33	1657242	1	SPACER
34	924356	2	WASHER
35	1924940	1	WASHER, Plain, 13/32
36	1928957	1	CAPSCREW, Hex Hd., 3/8-16 x 2-3/4
37	1656991	1	ARM, Pivot
38	1923362	1	LOCKNUT, Hex, 5/16-18
39	1924856	4	SCREW, Hex Hd., Taptite, 5/16-18 x 1/2
40	1701536	1	ROD, Brake
41	1663114	2	BUSHING, Universal
42	1921971	1	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4
43	1677750	1	LEVER ASSY., Clutch (Incl. Ref. No. 56 Qty. 2)
44	1922755	2	WASHER, Plain
45 46	1685150	1	PULLEY ASSY.
46 47	1666294	1	SPACER CHARD Spring
47	1677135	1	GUARD, Spring
48 40	1707563	1	ROD, Brake
49 50	1960074	3	CLIP, Hair Pin
50	159159	2	SPRING
51 50	1669232	1	UP-STOP, R.H.
52 50	1669233	1	UP-STOP, L.H.
53	1919326	4	WASHER, Plain
54 55	1920564	6	CARRIAGE BOLT, 5/16-18 x 1-1/4
55 50	176933	1	GRIP, Handie
56	1656412	1	LEVER, Control
57	1918452	1	COTTER PIN




Note: Use standard hardware torque spc. chart unless otherwise noted.

Ref.	Part	_	
No.	No.	Qty.	Description
1	108505	1	V-BELT, Mower Drive
2	1673574	1	PIN, Rivet
3	1669241	1	CHAIN, Lift 4 Links
4	1935048	1	LOCKNUT, Hex, Flange, 5/16-18
5	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
6	153124	4	RING, Retaining
7	1960020	8	WASHER, Plain, 5/8
8	1668487	4	ROLLER
9	1918448	1	PIN, Cotter, 3/32 x 1
10	1685243	1	ROD, Lift
11	1920161	1	NUT, Jam, 5/16-18
12	1668744	1	ROD, P.T.O.
13	1960074	2	CLIP, Hairpin
14	156306	2	PIN
15	176012	2	CLIP, Safety



Ref.	Part		
No.	No.	Qty.	Description
1	1668202	1	DECAL, Simplicity
2	1708617	1	DECAL, Hood, R.H. (Gear models only)
_	1708615	1	DECAL, Hood, R.H. (Hydro models only)
3	1708616	1	DECAL, Hood, L.H. (Gear models only)
_	1708614	1	DECAL, Hood, L.H. (Hydro models only)
4	1709064	1	DECAL, Drive Belt
5	1708276	1	DECAL, Shift Pattern (Gear models only)
	1708281	1	DECAL, Shift Pattern (Hydro model, Mfg. No.1692156)
	1709861	1	DECAL, Shift Pattern (Hydro model, Mfg. No. 1692259)
6	1709081	1	DECAL, 12.5 HP, I/C
7	1673430	1	DECAL, Dash, L.H. Side
8	1709371	1	DECAL, Dash, R.H. Side
9	1701270	1	DECAL, Warning, Fan (Hydro Models only)
10	1656855	1	DECAL, Mower Height
11	1704276	1	DECAL, Danger, Rotating Blade
12		1	DECAL, OPEI (Not Serviced)
13	1704277	1	DECAL, Danger, Deflector in Place
14	1704910	2	DECAL, Cutting Width, 36"
15	1709061	1	DECAL, Touch-up Paint
16	1702637	1	DECAL, Tow Valve, (Hydro Model, Mfg. No. 1692156)
	1708918	1	DECAL, Tow Valve, (Hydro Model, Mfg. No. 1692259)
17	1708927	1	DECAL, USA



# **WARNING**

### **AVOID SERIOUS INJURY** OR DEATH

- OR DEATH

  READ OPERATOR'S MANUAL(S).

  KNOW LOCATION AND FUNCTION OF ALL CONTROLS.

  KEP SAFETY DEVICES (GUARDS, SHIELDS, AND SWITCHES) IN PLACE AND WORKING.

  REMOVE OBJECTS THAT COULD BE THROWN BY THE BLADE.

  DO NOT MOW WHEN CHILDREN OR OTHERS ARE ARQUIND.

  NEVER CARRY CHILDREN.

  LOOK DOWN AND BEHIND BEFORE AND WHILE BACKING.

  AVOID SUDDEN TURNS.


  FY OUL CANNOT BACK UP A HILL, DO NOT OPERATE ON IT.

  GO UP AND DOWN SLOPES, NOT ACROSS.

  FMACHINE STOPS GOING UPHILL, STOP BLADE AND BACK DOWN SLOWLY.

  BE SURE BLADE(S), AND ENGINE ARE STOPPED BEFORE PLACING HANDS OR FEET NEAR BLADE(S).

  WHEN LEAVING MACHINE, SHUT OFF ENGINE, REMOVE KEY, AND SET PARKING BRAKE.



308 Barrie

Ref. No. 5 (Gear Decal Shown)







DANGER ROTATING FAN BLADE



Ref. No. 9



Ref. No.	Part No.	Qty.	<b>Description</b>
	1708926	2	
2		4	DECAL, AGCO Allis
2	1708824	1	DECAL, Hood, R.H. (Gear models only)
_	1708821	1	DECAL, Hood, R.H. (Hydro models only)
3	1708823	1	DECAL, Hood, L.H. (Gear models only)
	1708820	1	DECAL, Hood, L.H. (Hydro models only)
4	1709064	1	DECAL, Drive Belt (Gear models only)
	1709704	1	DECAL, Drive Belt (Hydro models only)
5	1708276	1	DECAL, Shift Pattern (Gear models only)
	1708281	1	DECAL, Shift Pattern (Hydro model, Mfg. No. 1692164)
	1709861	1	DECAL, Shift Pattern (Hydro model, Mfg. No. 1692263)
6	1709083	1	DECAL, 12.5 HP, I/C
7	1709387	- 1	DECAL, Dash, L.H. Side
8	1709371	1	DECAL, Dash, R.H. Side
9	1701270	1	DECAL, Warning, Fan, (Hydro Models only)
10	1656855	1	DECAL, Mower Height
11	1704276	1	DECAL, Danger, Rotating Blade
12		1	DECAL, OPEI (Not Serviced)
13	1704277	1 .	DECAL, Danger, Deflector in Place
14	1704910	2	DECAL, Cutting Width, 36"
15	1709061	1	DECAL, Touch-up Paint
16	1702637	1	DECAL, Tow Valve, (Hydro model, Mfg. No. 1692164)
	1708918	1	DECAL, Tow Valve, (Hydro model, Mfg. No. 1692263)
17	1708927	1	DECAL, USA



# **WARNING**

### **AVOID SERIOUS INJURY** OR DEATH

- OR DEATH

  READ OPERATOR'S MANUAL(S).

  KNOW LOCATION AND FUNCTION OF ALL CONTROLS.

  KEPF SAFETY DEVICES (GUARDS, SHIELDS, AND SWITCHES) IN PLACE AND WORKING.

  REMOVE OBJECTS THAT COULD BE THROWN BY THE BLADE.

  DO NOT MOW WHEN CHILDREN OR OTHERS ARE ARQUIND.

  NEVER CARRY CHILDREN.

  LOOK DOWN AND BEHIND BEFORE AND WHILE BACKING.

  AVOID SUDDEN TURNS.


  IF YOU CANNOT BACK UP A HILL, DO NOT OPERATE ON IT.

  GO UP AND DOWN SLOPES, NOT ACROSS.

  IF MACHINE STOPS GOING UPHILL, STOP BLADE AND BACK DOWN SLOWLY.

  BE SURE BLADE(S) AND ENGINE ARE STOPPED BEFORE PLACING HANDS OR FEET NEAR BLADE(S).

  WHEN LEAVING MACHINE, SHUT OFF ENGINE, REMOVE KEY, AND SET PARKING BRAKE.



Ref. No. 5 (Gear Decal Shown)










Ref. No. 9




NOTE: Unless noted otherwise, use the standard hardware torque specification chart. See the Table of Contents.

REF. NO.	PART NO.	QTY.	DESCRIPTION
1	772107B	1	Transaxle Cover (Incl. 85)
2	780086	2	Needle Bearing
3	770102A	1	Transaxle Case
4	776260	1	Countershaft
5	776219A	1	Output Shaft & Pinion
6	778139	1	Output Gear (35 teeth)
7	778136	1	Spur Gear (15 teeth)
8	792136A	4	Shift Key
9	784352	1	Shift Collar
10	784354	1	Shift Rod & Fork
11	778229	1	Bevel Gear (42 teeth)
12	778113A	1	Input Bevel Pinion
13	778221	2	Bevel Gear (16 teeth)
14	778068	2	Differential Pinion
15	778260	1	Ring Gear
16	786150	1	Bearing Strip
17	786139	1	Drive Pin
18	786102	1	Spacer
20	792077	1	Steel Ball, 5/16" dia.
21	792078	1	Set Screw, 3/8-16 x 3/8"
22	792079	1	Spring
23	788061	2	Seal Ring
25	792073	17	Screw, 1/4-20 x 1-1/4"
26	792125	4	Retaining Ring (pkg. of 2)
27	792035	1	Retaining Ring
28	788040	1	Retaining Ring
29	780072	5	Washer
30	780108	4	Washer
31	780001	4	Washer
32	792001	1	"O" Ring
33	788051	1	Square Cut Ring
34	780105A	4	Flanged Bushing
35	780118A	2	Flanged Bushing
36	790003	1	Brake Disk
37	790007	1	Brake Pad Plate
38	799021	2	Brake Pad (pkg of 2)
39	786026	2	Dowel Pin
40	792076A	1	Washer

Ref. Nos. 41 - 150 are on the following page.

NOTE: Refer to I.D. Plate on transaxle to determine model. NOTE: See an authorized Tecumseh dealer for parts and service.




NOTE: Unless noted otherwise, use the standard hardware torque specification chart. See the Table of Contents.

REF. NO.	PART NO.	QTY.	DESCRIPTION			
41	790019	1	Brake Lever			
42	792073	1 .	Screw, 1/4-20 x 1-1/4"			
42A	792085A	1	Screw, 1/4-20 x 2-1/4"			
43	792075	1	Locknut, 5/16-24			
44	790025	1	Brake Pad Holder			
45	786066	1	Spacer			
46	786086	1	Brake Lever Bracket			
47	774927	1	Axle (11-5/32" long)			
48	774869	1	Axle (16-13/16" long)			
49	778191	1	Spur Gear (37 teeth)			
50	778124A	1	Spur Gear (30 teeth)			
51	778123A	1	Spur Gear (25 teeth)			
52	778122A	1	Spur Gear (22 teeth)			
53	778209	1	Spur Gear (19 teeth)			
56	778230	1	Spur Gear (12 teeth)			
57	778126A	1	Spur Gear (20 teeth)			
58	778127A	1	Spur Gear (25 teeth)			
59	778128A	1	Spur Gear (28 teeth)			
60	778163	1	Spur Gear (31 teeth)			
63	786071	.1	Countershaft Spacer			
64	786072	1	Output Shaft Spacer			
65	780109	1	Washer			
66	776135	1	Input Shaft			
67	776315A	1	Shifter & Brake Shaft			
68	786116	1	Disk			
69	780051	2	Washer			
70	786118	1	Spacer			
71	788069	1	Square Cut Ring			
72	792165	1	Threaded Plug, 9/16-18			
72 <b>A</b>	788091	1	"O" Ring			
76	780090	1	Washer			
77	788078A	2	Inverted Retaining Ring (pkg. of 2)			
81	786062A	1	Roller Chain (No. 41 chain, 22 links)			
82	786061	1,	Sprocket (10 teeth)			
83	786124	1	Reverse Sprocket (14 teeth)			
85	792137	2	Lubrication Fitting			
90	788067B	1	Grease (32 oz. btl. Bentonite grease)			
150	510334	1	Gasket Eliminator (Loctite #515)			

Ref. Nos. 1 - 40 are on the preceding page.

NOTE: Refer to I.D. Plate on transaxle to determine model.


NOTE: See an authorized Tecumseh dealer for parts and service.



Ref. No.	Part No.	Qty.	Description
			•
1	1706112	1	HOUSING, Half, L.H.
2	1706113	1	HOUSING, Half, R.H.
3	1706114	1	AXLE, L.H., 3/4"
4	1706115	1	AXLE, R.H., 3/4"
5	1706116	4	BEARING, Ball
6	1706117	3	WASHER, Flat, 3/4 I.D. x 1-1/8 O.D. x .030 Thk.
7	1706118	2	GEAR, Miter
8	1706119	2	GEAR, Miter
9	1706120	2	NUT, Hex, Jam w/Patch, 1/2-20
10	1706121	1	SHAFT, Cross
11	1706122	1	GREASE, Seal, Bronze
12	1706123	2	SNAP RING
13	1706124	2	BEARING, Thrust
14	1706125	, 1	HOUSING ASSY., Differential
15	1706126	1	BEARING, Flange
16	1706127	1 -	GEAR, Differential, 1/2 Tooth
17	1706128	4	BOLT, Torx Hd., 1/4-29 x 5/8" Lg.
18	1706129	1	SHAFT, Input
19	1706130	1	SNAP RING
20	1706131	1	RETAINING RING, 7/16" Dia. Ext.
21	1706132	1	HOUSING, Input Bearing
22	1706133	1	BEARING, Needle
23	1706134	1	BEARING, Thrust
24	960165	2	WASHER, Flat, 5/8 I.D. x 1-1/8 O.D. x .030 Thk.
25	924819	1	KEY, Hi-Pro, 1/8 x 5/8
26	1960484	3	SCREW, Hex, Socket Hd., 1/4-20 x 3/4 Long
27	1706136	1	GEAR, Input Pinion, 17 Tooth
28	1706137	2	WASHER, Flat, .62 I.D. x 1.0 O.D. x .030 Thk.
	121210	AR	WASHER, Flat, .62 I.D. x 1.125 O.D. x .060 Thk.
	1706138	AR	WASHER, Flat, .62 I.D. x 1.0 O.D. x .040 Thk.
29	1918447	1	PIN, Cotter
30	1706139	1	NUT, Castle, 5/16-24
31	1924874	1 .	WASHER, Flat, .343 I.D. x .88 O.D. x .062 Thk.
32	1706140	1	ARM, Brake Actuator
33	1706141	2	PIN, Brake Actuating

See pages 60 - 61 for Ref. Nos. 34 - 65.

NOTE: Transaxie is part of transmission assembly, Hydro Gear/Agrifab Model 219-1010S, Simplicity Part No. 1709251 (page 16 & 17, Ref. No. 1).




Mfg. Nos. 1692156, 1692164

## Hydro Transaxle Service Parts - Hydro Gear/Agrifab Model 210-1000 (continued)

Ref.	Part	•	
No.	No.	Qty.	Description
34	1706142	1	BRAKE, Yoke
35	1706143	1	DISC, Brake
36	930672	1	KEY, Hi-Pro, 3/16 x 5/8" Dia.
37	1706144	1	SCREW, Hex, 1/4-20 x 1-1/2
38	1706145	1	PLATE, Puck
39	1706146	2	PUCK, Brake
40	1706147	1	SCREW, Hex w/Patch, 1/4-20 x 1.00 Lg.
<b>41</b> .	1706148	2	SCREW, Hex, Self-Tap, 1/4-20 x 2.00 Lg.
42	1706149	4	SCREW, Hex, Self-Tap, 1/4-20 x 3.00 Lg.
43	1706150	3	BEARING, Ball
44	1706151	1	BEARING, Ball
45	1706152	,1	SHAFT, Pinion w/11 Tooth Gear
46	1706153	1	SHAFT, Drive
47	1706154	1	BEARING, Needle
48	1706155	1	BRONZE THRUST BRG., 5/8 I.D. x 1-1/4 O.D. x
			7/64 Thk.
49	1706137	1	WASHER, Flat, .62 I.D. x 1.0 O.D. x .050 Thk.
50	1706156	1	PIN, Dowel, 3/32 x 1/4
51	1706157	4	COUPLING
52	1706158	1	GEAR, 60 and 17 Tooth
53	1916622	1	NUT, Hex, 1/4-20
54	1706159	1	GEAR, Drive Pinion, 17 T.
55	1706160	1	BOLT, Square Head
56	1706161	1	WASHER, 1/4" Spring
57	1916964	1	WASHER, 1/4" Spring Lock
58	1706162	2	PIN, Roll, 3/16" Dia. x 1/2" Lg.
59	960165	1	WASHER, Flat, .62 I.D. x 1.0 O.D. x .030 Thk.
60	1706163	1	SHELL DURINA-O GREASE (20 Oz. Tube)
61	1706171	4	WASHER, Hd. Sprg. Lock, 1/4" (Yellow Di-Chrom)
62	1706164	2	SCREW/STUD ,
63	1706165	1	BEARING, Needle (w/Seal)
64	1706166	1	SEAL, Grease
65	912808	1	GREASE FITTING

See pages 58 - 59 for Ref. Nos. 1 - 33.

\*\*2229




NOTE: Use standard hardware torque spec. chart unless otherwise noted.

Ref.	Part				
No.	No.	Qty.	Description		
*1	1706174	1	RETAINING RING		
*2	1706173	1	LIP SEAL		
*3	1706172	1	SPACER		
4	1706184	2	BALL		
5	1706185	2	SPRING		
*6	1706183	2	O-RING (.078 x .468)		
7	1706182	2	CHECK VALVE PLUG		
8	1706181	2	CHECK VALVE KIT (Incl. Ref. Nos. 4-7)		
9	1706176	1	PIPE PLUG		
10	1706186	1	BY PASS VALVE KIT (Incl. Ref. Nos. 11-15)		
11	1706190	1	BY PASS PLUG		
*12	1706187	1	O-RING (.072 x .351)		
*13	1706191	1	O-RING		
14	1706189	1	BY PASS SPOOL		
15	1706188	1	SPRING		
*16	1706177	1	LIP SEAL, Motor		
*17	1706178	1	LIP SEAL, Pump		
*18	1706175	1	LIP SEAL		
19	1706179	2	O-RING BOSS PLUG, 9/16-18 Str. Thd., Socket Hd.		
20	1706180	1	O-RING BOSS PLUG, 7/16-20 Str. Thd., Socket Hd.		

<sup>\*</sup>The indicated parts are included in the Overhaul Seal Kit 1706192.

NOTE: Simplicity Brand 30W SC/CC Detergent Engine Oil is recommended for use in this hydro pump. (Case 12 Qts. - Part. No. 1685659)

NOTE: Hydro pump is part of transmission assembly, Hydro Gear/Agrifab Model 219-1010S, Simplicity Part No. 1709251 (page 16 & 17, Ref. No. 1).




Mfg. Nos. 1692259, 1692263

## Hydro Transaxle Service Parts - Hydro Gear Model 318-0500

Ref.	Part				
No.	No.	Qty.	Description		
1,	1713323	1	VENT PLUG		
2	1713324	1	FITTING, Vent Plug		
3	1709907	1	ARM, Bypass		
4	1709908	1	SEAL		
5	1709909	2	PUCK, Dampener		
6	1709910	1	SETSCREW		
7	1709911	1	ARM, Control		
8	1709912	1	SPRING		
9	1709913	1	CUP WASHER		
10	1709914	1	SCREW, Soc. Hd.		
11	1709915	2	ACTUATOR PIN		
12	1713370	1	ARM, Brake		
13	1709917	1	WASHER, 7/16 x 7/8 x 1/16		
14	1709918	1	LOCKING STRAP		
15	1709919	1	NUT, Hex, Lock, 5/16 x 24		
16	1709920	1	SEAL, Lip		
17	1709921	1	SEAL, Lip		
18	1709922	1	RING, Retaining		
19	1713322	1 .	VENT TUBE		

## **Hardware Identification & Torque Specifications**

### **Common Hardware Types**




### **Standard Hardware Sizing**

When a washer or **nut** is identified as **1/2**", this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch; if a second number is present it represent the *threads per inch* 

When bolt or capscrew is identified as 1/2 - 16 x 2", this means the *Nominal size*, or *body diameter* is 1/2 inch; the second number represents the *threads per inch* (16 in this example, and the final number is the *body length* of the bolt or screw (in this example 2 inches long).

The guides and ruler furnished below are designed to help you select the appropriate hardware and tools.



## **Torque Specification Chart**

FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)

Hardware Grade	No Marks SAE Grade 2		SAE Grade 5		SAE Grade 8	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	27	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

#### **NOTES**

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- 2. Recommended seating torque values for locknuts:
  - a. for prevailing torque locknuts use 65% of grade 5 torques.
  - for flange whizlock nuts and screws use 135% of grade 5 torques.
- 3. Unless otherwise noted on assembly drawings, all torque values must meet this specification.

### **Wrench & Fastener Size Guide**



1/4" Bolt or Nut Wrench—7/16"



5/16" Bolt or Nut Wrench—1/2"



3/8" Bolt or Nut Wrench—9/16"



7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"



1/2" Bolt or Nut Wrench—3/4"

